



# ORTHOPEDIC CATALOGUE



# SICOP

Surgical  
Instruments  
Company of  
Pakistan



[www.sicopinstruments.com](http://www.sicopinstruments.com)

## Drill Bits – Quick Coupling

6900-0-0002	1,1 mm/60 mm
6900-0-0003	1,5 mm/85 mm
6900-0-0004	1,5 mm/110/85 mm
6900-0-0005	2,0 mm/100 mm
6900-0-0006	2,0 mm/125 mm
6900-0-0007	2,5 mm/110 mm
6900-0-0008	2,5 mm/180 mm
6900-0-0009	2,7 mm/100 mm
6900-0-0010	2,7 mm/125 mm
6900-0-0011	3,2 mm/145 mm
6900-0-0012	3,2 mm/195 mm
6900-0-0013	3,5 mm/110 mm
6900-0-0014	3,5 mm/195 mm
6900-0-0015	4,5 mm/145 mm
6900-0-0016	4,5 mm/195 mm
6900-0-0017	3,5 mm/145 mm
6900-0-0018	5,0 mm/145 mm
6900-0-0019	2,7 mm/110 mm

## Drill Bits – straight shaft

6900-0-0020	1,1 mm / 45 mm
6900-0-0021	1,5 mm / 70 mm
6900-0-0022	2,0 mm / 85 mm
6900-0-0023	2,5 mm / 95 mm
6900-0-0024	2,7 mm / 110 mm
6900-0-0025	3,2 mm / 130 mm
6900-0-0026	3,2 mm / 180 mm
6900-0-0027	3,5 mm / 110 mm
6900-0-0028	3,5 mm / 180 mm
6900-0-0029	4,5 mm / 130 mm
6900-0-0030	4,5 mm / 180 mm
6900-0-0031	6,5 mm / 150 mm
6900-0-0032	3,2 mm / 106 mm
6900-0-0038	4,0 mm / 120 mm
6900-0-0039	4,0 mm 180 mm

## Drill Bits – three Flutes – Quick Coupling

6900-0-0035	2,5 mm / 230 mm
6900-0-0036	3,2 mm / 230 mm
6900-0-0037	4,5 mm / 195 mm

## Countersinks – Quick Coupling

6900-0-0040	1,5 / 2,0 mm
6900-0-0041	2,7 / 3,5 / 4,0 mm
6900-0-0042	4,5 / 6,5 mm T-Handle



### Taps - Quick Coupling

- 6900-0-0045 1,5 mm/50/20 mm (Dental)
- 6900-0-0046 2,0 mm/53/24 mm (Dental)
- 6900-0-0047 2,7 mm/100/33mm
- 6900-0-0048 3,5 mm/110/83 mm (TIN)
- 6900-0-0049 4,0 mm/110/47 mm
- 6900-0-0050 4,5 mm/125/59 mm
- 6900-0-0051 6,5 mm calibr./200/25 mm
- 6900-0-0052 3,5 mm calibr./175/50 mm
- 6900-0-0053 4,5 mm calibr./175/50 mm
- 6900-0-0054 4,5 mm /125/70 mm
- 6900-0-0055 4,5 mm /180/110 mm



### Insert Drill Sleeve

- 6900-0-0060 2,5/3,5 mm
- 6900-0-0061 4,5/3,2 mm
- 6900-0-0075 6,0/5,0 mm
- 6900-0-0076 5,0/4,0 mm
- 6900-0-0077 4,0/3,0 mm



### Parallel Drill Sleeve

- 6900-0-0062 2,0 mm



### Double Drill Sleeve

- 6900-0-0063 1,1 / 1,5 mm
- 6900-0-0064 1,5 / 2,0 mm
- 6900-0-0065 2,0 / 2,7 mm
- 6900-0-0066 2,5 / 3,5 mm
- 6900-0-0067 4,5 / 3,2 mm
- 6900-0-0068 6,5 / 3,2 mm



### Universal Drill Sleeve

- 6900-0-0069 3,5 mm
- 6900-0-0070 4,5 mm



### Drill Guide – Neutral and Load

- 6900-0-0071 2,7 mm
- 6900-0-0072 3,5 mm
- 6900-0-0073 4,5 mm



### Pointed Drill Guide

- 6900-0-0079



### Mini Quick Coupling Handle

- 6900-0-0080



**Mini, Bulb, Quick Coupling Handle**  
6900-0-0081



**Small Quick Coupling Handle**  
6900-0-0082



**T-Handle, small**  
6900-0-0083



**T-Handle with Jacobs Chuck**  
6900-0-0084



**Screwdriver Insert – Quick Coupling**

- 6900-0-0090 Cruxiform/Phillips
- 6900-0-0091 1,5 mm hex
- 6900-0-0092 2,5 mm hex, 100 mm
- 6900-0-0093 2,5 mm hex, 135 mm
- 6900-0-0094 2,5 mm hex, 165 mm
- 6900-0-0095 3,5 mm hex, 100 mm
- 6900-0-0096 3,5 mm hex, 165 mm




**Screw Drivers**

- 6900-0-0104 1,5 mm hex
- 6900-0-0097 Philipps Head, 200 mm
- 6900-0-0098 for slotted head, 200 mm
- 6900-0-0099 for single head, 200 mm
- 6900-0-0100 2,5 mm hex, 210 mm
- 6900-0-0101 2,5 mm hex, 270 mm
- 6900-0-0102 3,5 mm hex, 245 mm
- 6900-0-0103 3,5 mm hex, 300 mm



**Holding Sleeves (for screw size)**

- 6900-0-0105 1,5 mm
- 6900-0-0106 2,0 mm
- 6900-0-0107 2,7/3,5 mm
- 6900-0-0108 3,5/4,0 mm
- 6900-0-0109 4,5/6,5 mm



- A ... Phillips Head
- B... Slotted Head
- C... Single Head
- D ...Hexagonal Head

**Depth Gauges**

- 6900-0-0156 30 mm with prot. cap
- 6900-0-0157 38 mm with prot. cap
- 6900-0-0158 50 mm
- 6900-0-0159 110 mm
- 6900-0-0160 120 mm



**Sharp Hook**

- 6900-0-0201



**Screw Holding Forceps**

- 6900-0-0205 small
- 6900-0-0206 large



**Wrench SW 11**

- 6900-0-0208



**Socket Wrench SW 11**

- 6900-0-0209



**Ball Spike – straight – 300 mm**

- 6900-0-0210



**Spiked Disk, 25 mm**

- 6900-0-0211



**Quick coupling Adapter- Jakobs Chuck**

- 6900 0 0212



**Bending Iron for Mini Plates**

- 6900-0-0165



**Bending Iron for Small Plates**

- 6900-0-0166 right
- 6900-0-0167 left



## LANE Bone Holding Forceps

- 6900-1-0001 330 mm w/o ratchet
- 6900-1-0002 330 mm with ratchet
- 6900-1-0003 450 mm with ratchet



## VERBRUGGE Self Centering bone Holding Forceps

- 6900-0-0122 150 mm
- 6900-0-0123 190 mm
- 6900-0-0124 240 mm
- 6900-0-0125 260 mm
- 6900-0-0126 280 mm



## VERBRUGGE Bone Holding Forceps

- 6900-1-0004 250 mm
- 6900-1-0005 260 mm
- 6900-1-0006 270 mm
- 6900-1-0007 175 mm



## LEWIN Bone Holding Forceps

- 6900-1-0008 190 mm



## Reduction Forceps

- 6900-0-0130 narrow, w. point, 130 mm
- 6900-0-0131 broad, w. point, 130 mm
- 6900-0-0132 w. point, 130 mm
- 6900-0-0133 w. point, 205 mm



## Stagbeetle Forceps

- 6900-0-0134 120 mm



## Reduction Forceps w. serrated jaws

- 6900-0-0135 140 mm



**Reduction Forceps, speed lock**

6900-0-0136 170 mm  
6900-0-0137 240 mm



**FARABEUZ Reduction Forceps**

6900-0-0138 190mm  
6900-0-0139 250 mm



**Reduction Forceps for use with screws**

6900-0-0140 340 mm



6900-0-0141 200 mm, angled down  
6900-0-0142 240mm, angled down  
6900-0-0143 400 mm, straight



**Reduction Forceps, pointed ball tips**

6900-0-0145 250 mm, Ring-Handle



**Reduction Forceps 3 pointed balls**

6900-0-0144 400 mm



**Reduction Forceps, Asymmetric**

6900-0-0146



**SEMB Bone Holding Forceps**  
6900-1-0009 200 mm



**LOWMANN Bone Clamp**  
6900-1-0010 130 mm  
6900-1-0011 185 mm  
6900-1-0012 200 mm



**GERSTER Bone Clamp**  
6900-1-0013



**STILLE-LUER Bone Rongeur**  
6900-1-0014 230 mm



**STILLE-LUER Bone Rongeur**  
6900-1-0015 260 mm straight  
6900-1-0016 260 mm curved



**LEKSELL-STILLE Bone Rongeur**  
6900-1-0017 230 mm broad  
6900-1-0018 230 mm small



**RUSKIN Bone Rongeur**  
6900-1-0019 180 mm, curved



**STILLE-RUSKIN Bone Rongeur**  
6900-1-0020 230 mm



**ZAUFAL-JANSEN Bone Rongeur**  
6900-1-0021 190 mm



**BÖHLER Bone Rongeur**  
6900-1-0022 150 mm, straight  
6900-1-0023 150 mm, curved



**BEYER Bone Rongeur**  
6900-1-0024 180 mm



**LUER Bone Rongeur**  
6900-1-0025 straight  
6900-1-0026 curved



**LEMPERT Bone Rongeur**

6900-1-0027 160 mm, straight  
6900-1-0028 160 mm, curved



**LEMPERT Bone Rongeur**

6900-1-0029 190 mm, straight  
6900-1-0030 190 mm curved



**HOHMANN Bone Lever**

6900-1-0033 8 mm  
6900-1-0034 18 mm  
6900-1-0035 43 mm  
6900-1-0036 70 mm



**HOHMANN Bone Lever**

6900-1-0037 43 mm  
6900-1-0038 22 mm



**BENNETT Bone Lever**

6900-1-0040



**Bone Lever for Knee**

6900-1-0041 270 mm



6900-1-0042 175 mm



**Mallet**

6900-1-0044 500 gr



**Mallet**

6900-1-0045 250 gr, 42 mm



**SMITH PETERSEN Bone Chisel**

straight

6900-1-0046 6 mm

6900-1-0047 9 mm

6900-1-0048 13 mm

6900-1-0049 16 mm

6900-1-0050 19 mm

6900-1-0051 25 mm

6900-1-0052 32 mm

curved

6900-1-0053 6 mm

6900-1-0054 9 mm

6900-1-0055 13 mm

6900-1-0056 16 mm

6900-1-0057 19 mm

6900-1-0058 25 mm

6900-1-0059 32 mm



**STILLE Bone Chisels**

6900-1-0060 10 mm

6900-1-0061 15 mm

6900-1-0062 20 mm

6900-1-0063 25 mm



**LAMBOTTE Mini bone Chisels**

6900-1-0069 3 mm

6900-1-0070 6 mm

6900-1-0071 10 mm



**LAMBOTTE Bone Chisels**

Straight

6900-1-0072 6,5 mm

6900-1-0073 15 mm

6900-1-0074 20 mm

6900-1-0075 25 mm

6900-1-0076 30 mm

6900-1-0077 38 mm

6900-1-0078 44 mm

Curved

6900-1-0079 6,5 mm

6900-1-0080 15 mm

6900-1-0081 20 mm

6900-1-0082 25 mm

6900-1-0083 30 mm

6900-1-0084 38 mm

6900-1-0085 44 mm



## BRUNS Bone Curette, 230 mm

- 6900-1-0086 Fig 1
- 6900-1-0087 Fig 2
- 6900-1-0088 Fig 3
- 6900-1-0089 Fig 4
- 6900-1-0090 Fig 5
- 6900-1-0091 Fig 6
- 6900-1-0092 Fig 7
- 6900-1-0093 Fig 8
- 6900-1-0094 Fig 9



## SIMON Bone Curette, 240 mm

- 6900-1-0095 Fig 1
- 6900-1-0096 Fig 2
- 6900-1-0097 Fig 3
- 6900-1-0098 Fig 4
- 6900-1-0099 Fig 5
- 6900-1-0100 Fig 6


## SMITH-PETERSEN Gouge

Straight

- 6900-1-0101 6 mm
- 6900-1-0102 9 mm
- 6900-1-0103 13 mm
- 6900-1-0104 16 mm
- 6900-1-0105 19 mm
- 6900-1-0106 25 mm

Curved

- 6900-1-0111 6 mm
- 6900-1-0112 9 mm
- 6900-1-0113 13 mm
- 6900-1-0114 16 mm
- 6900-1-0115 19 mm
- 6900-1-0116 25 mm



## STILLE Gouge

- 6900-1-0107 10 mm
- 6900-1-0108 15 mm
- 6900-1-0109 20 mm
- 6900-1-0110 25 mm



**LEXER Gouge, 220 mm**

Straight

- 6900-1-0180 10 mm
- 6900-1-0181 15 mm
- 6900-1-0182 20 mm
- 6900-1-0183 25 mm

Hollow

- 6900-1-0184 10 mm
- 6900-1-0185 15 mm
- 6900-1-0186 20 mm
- 6900-1-0187 25 mm



**LEXER Gouge, hollow**

straight

- 6900-1-0150 5 mm
- 6900-1-0151 10 mm
- 6900-1-0152 15 mm

curved

- 6900-1-0195 5 mm
- 6900-1-0196 10 mm
- 6900-1-0197 15 mm


**LISTON Bone Cutting Forceps**

straight

- 6900-1-0160 140 mm
- 6900-1-0161 170 mm
- 6900-1-0162 190 mm
- 6900-1-0163 220 mm

curved

- 6900-1-0165 140 mm
- 6900-1-0166 170 mm
- 6900-1-0167 190 mm
- 6900-1-0168 220 mm



**STILLE-LISTON Bone Cutting Forceps**

- 6900-1-0170 270 mm straight
- 6900-1-0171 270 mm curved



**RUSKIN-LISTON Bone Cutting Forceps**

- 6900-1-0176 185 mm
- 6900-1-0177 185 mm



**FARABEUF Raspatory**

- 6900-1-0190 straight
- 6900-1-0191 curved

## **PARTSCH Gouge, 170 mm**

Hollow

- 6900-1-0117 2 mm
- 6900-1-0118 3 mm
- 6900-1-0119 4 mm
- 6900-1-0120 5 mm
- 6900-1-0121 6 mm
- 6900-1-0122 7 mm
- 6900-1-0123 8 mm

Straight

- 6900-1-0124 2 mm
- 6900-1-0125 3 mm
- 6900-1-0126 4 mm
- 6900-1-0127 5 mm
- 6900-1-0128 6 mm
- 6900-1-0129 7 mm
- 6900-1-0130 8 mm



## **SEMB Elevators**

- 6900-1-0131 175 mm
- 6900-1-0132 210 mm
- 6900-1-0134 175 mm
- 6900-1-0135 210 mm
- 6900-1-0136 205 mm straight
- 6900-1-0137 205 mm curved



## **Periosteal Elevators**

- 6900-1-0140 14 mm
- 6900-1-0141 14 mm
- 6900-1-0142 20 mm
- 6900-1-0143 14 mm
- 6900-1-0144 6mm



## **Mini LEXER Gouge, 180 mm**

straight

- 6900-1-0153 4 mm
- 6900-1-0154 6 mm
- 6900-1-0155 8 mm

hollow

- 6900-1-0156 4 mm
- 6900-1-0157 6 mm
- 6900-1-0158 8 mm



**PUTTI Raspatory**

6900-1-0193 270 mm  
6900-1-0194 300 mm



**WILLINGER Raspatory 160 mm**

6900-1-0212



**STILLE Plaster Shear**

6900-1-0200 240 mm  
6900-1-0201 230 mm  
6900-1-0202 260 mm  
6900-1-0203 370 mm



**HENNIG Plaster Spreader 280 mm**

6900-1-0207



**WIGMORE Plaster Saw**

6900-1-0204 190 mm



**ENGEL Plaster Saw**

6900-1-0205



**BERGMANN Plaster Saw**

6900-1-0206



## Air Drill

6998-0-0005

### without picture:

6998-0-0006 Air Hose 3 m

6998-0-0007 Air Hose 5 m



## Power Drill Jacobs Chuck

up to 7,0 mm round and triangular shanks  
with chuck key

6998-0-0021



## Power Drill Quick Action Chuck

for drill wires 0,8 mm - 3,0 mm

6998-0-0022



## Power Drill Adaptor for AO/AESCALAP

Attachements

6998-0-0023



## Power drill Adaptor for DIN Attachements

6998-0-0024



## Power Drill Chuck for acetabular and

intramedullary reaming (100 r/min)

6998-0-0025



## Power Drill oscillating saw standard

connection for AO saw blades

6998-0-0026



## Sleeve for K-wires

6998-0-0027

Saw Blades SYNTHES/AO/SODEM (Depth/Width/Mat.Thickness/Cut.Thickness) in mm

6999-9-0100 90,0/13,0/1,27/1,37



Saw Blades SYNTHES/AO/SODEM (Depth/Width/Mat.Thickness/Cut.Thickness) in mm

6999-9-0101 90,0/13,0/0,89/1,0



Saw Blades SYNTHES/AO/SODEM (Depth/Width/Mat.Thickness/Cut.Thickness) in mm

6999-9-0102 90,0/19,005/1,27/1,37



Saw Blades SYNTHES/AO/SODEM (Depth/Width/Mat.Thickness/Cut.Thickness) in mm

6999-9-0103 90,0/25,4/1,47/1,47



Saw Blades SYNTHES/AO/SODEM (Depth/Width/Mat.Thickness/Cut.Thickness) in mm

6999-9-0104 90,0/25,4/1,19/1,19



Saw Blades SYNTHES/AO/SODEM (Depth/Width/Mat.Thickness/Cut.Thickness) in mm

6999-9-0105 90,0/25,4/0,89/1,0



Saw Blades SYNTHES/AO/SODEM (Depth/Width/Mat.Thickness/Cut.Thickness) in mm


6999-9-0106 90,0/25,4/1,0/1,0



Sagittal Saw Blades for Hip / crossed

SYNTHES/AO/SODEM (Depth/Width/Mat.Thickness/Cut.Thickness) in mm

6999-9-0110 27,0/6,0/0,4/0,6



Sagittal Saw Blades for Hip / crossed

SYNTHES/AO/SODEM (Depth/Width/Mat.Thickness/Cut.Thickness) in mm


6999-9-0111 23,0/14,0/0,4/0,58



Sagittal Saw Blades for Hip / crossed

SYNTHES/AO/SODEM (Depth/Width/Mat.Thickness/Cut.Thickness) in mm


6999-9-0112 48,0/14,0/0,4/0,66



Saggital Saw Blades for Hip / crossed

SYNTHES/AO/SODEM (Depth/Width/Mat.Thickness/Cut.Thickness) in mm

6999-9-0113 48,0/27,0/0,4/0,66



Saggital Saw Blades for Hip / crossed

SYNTHES/AO/SODEM (Depth/Width/Mat.Thickness/Cut.Thickness) in mm

6999-9-0114 68,0/27,0/0,6/0,81



RALK Hand Drill

6900-0-0312



Fingerring Cutter

6900-1-0320



Lead Hand


6900-1-0213 for adults

6900-1-0214 for children



GIGLI Handle  
1000-0-0053

GIGLI Wire Saw  
1000-0-0055 300 mm  
1000-0-0056 400 mm  
1000-0-0057 500 mm  
1000-0-0058 600 mm  
1000-0-0059 700 mm



Bone Mill  
6998-0-1000



Cutting Wheel for Bone Mill  
6998-0-1001 4,0 mm  
6998-0-1002 3,0 mm



Fixation Device for bone Mill  
6998-0-1003



Instrument Maintenance Spray  
NEODISHER IP Spray  
6999-0-0040

without picture



# SICOP

**Surgical Instruments  
Company of Pakistan**



**EMAIL ADDRESS**

info@sicopinstruments.com  
sales@sicopinstruments.com



**PHONE NUMBER**

+923008719689  
+923404512818



**ADDRESS**

6-7B, M A Jinnah Road Small  
Industries Estate  
Sialkot Punjab Pakistan

